

Utah Monthly Communicable Disease Report

January 2016



Background: The Utah Department of Health collects data on over 75 communicable diseases that affect the residents of Utah. These data are monitored by epidemiologists to detect changes in disease activity, and guide prevention and education efforts. More information can be found at <http://health.utah.gov/epi/>.

Note: Individual disease investigations take time to complete; for this reason, data in this report should be considered provisional and will change as more complete reports are received.

Current counts of selected reportable diseases, * compared to an historical 5-year average, January 2016

Disease/Condition	Jan 2016	5-yr Jan avg [†]	2016 YTD [‡]	5-yr YTD avg ^{†,‡}
<i>Acinetobacter</i> species with resistance or intermediate resistance to carbapenems	0	2.2	0	2.2
Arbovirus infection (not including West Nile, Dengue, or Yellow Fever)	0	0.0	0	0.0
Babesiosis	0	0.0	0	0.0
Botulism, total	1	0.2	1	0.2
foodborne	0	0.0	0	0.0
infant	1	0.2	1	0.2
other (wound/unspecified)	0	0.0	0	0.0
Brucellosis	0	0.0	0	0.0
Campylobacteriosis	13	26.0	13	26.0
Chickenpox	23	29.4	23	29.4
Chlamydia	712	689.0	712	689.0
Cholera	0	0.0	0	0.0
Coccidioidomycosis	0	4.8	0	4.8
Colorado tick fever	0	0.0	0	0.0
Creutzfeldt-Jakob disease and other transmissible human spongiform encephalopathies	1	0.4	1	0.4
Cryptosporidiosis	8	7.8	8	7.8
Cyclosporiasis	0	0.0	0	0.0
Dengue	2	0.0	2	0.0
Ehrlichiosis/Anaplasmosis	0	0.0	0	0.0
Encephalitis	0	0.0	0	0.0
<i>Escherichia coli</i> species with resistance or intermediate resistance to carbapenems	0	0.0	0	0.0
Giardiasis	6	19.4	6	19.4
Gonorrhea	136	74.0	136	74.0
HIV infection	14	9.2	14	9.2
<i>Haemophilus influenzae</i> , all ages, invasive disease	3	3.2	3	3.2
nonserotype B, age < 5 years	0	0.2	0	0.2
serotype B, age < 5 years	0	0.0	0	0.0
unknown serotype, age < 5 years	0	0.0	0	0.0
Hansen's disease (Leprosy)	0	0.0	0	0.0
Hantavirus pulmonary syndrome	0	0.0	0	0.0
Hemolytic uremic syndrome, post-diarrheal	0	0.0	0	0.0
Hepatitis A	1	0.4	1	0.4
Hepatitis B, acute	0	0.8	0	0.8
Hepatitis B, chronic	26	26.0	26	26.0
Hepatitis C, acute	0	1.4	0	1.4
Hepatitis C, chronic	76	124.8	76	124.8
Hepatitis, other viral	0	0.0	0	0.0
Influenza-associated hospitalization [§]	98	247.4	98	247.4
Influenza-associated pediatric mortality [§]	0	1.2	0	1.2
<i>Klebsiella</i> species with resistance or intermediate resistance to carbapenems	0	0.4	0	0.4
Legionellosis	1	2.0	1	2.0
Leptospirosis	0	0.0	0	0.0
Listeriosis	1	0.4	1	0.4
Lyme disease	0	0.8	0	0.8

* Anthrax, Chancroid, Diphtheria, Poliomyelitis (paralytic & nonparalytic), Psittacosis, Rabies (human), Rubella (congenital), Severe Acute Respiratory Syndrome (SARS), Smallpox, Syphilis (congenital), Tetanus, Vancomycin-resistant *Staphylococcus aureus* (VRSA), Viral hemorrhagic fevers, and Yellow fever are not included in this report as there have been no cases reported in the state of Utah in the last five years.

[†]Averages are susceptible to skewing due to outbreaks and should be interpreted with care.

[‡]YTD indicates counts are year-to-date.

[§]Influenza is best assessed seasonally. Weekly updates are available at <http://health.utah.gov/epi/diseases/influenza/surveillance/index.html>.

U: Unavailable

Utah Monthly Communicable Disease Report

January 2016



Current counts of selected reportable diseases,* compared to an historical 5-year average, January 2016

Disease/Condition	Jan 2016	5-yr Jan avg [†]	2016 YTD [‡]	5-yr YTD avg ^{†,‡}
Malaria	0	0.4	0	0.4
Measles	0	0.4	0	0.4
Meningitis, aseptic	0	4.0	0	4.0
Meningitis, bacterial, other	0	1.0	0	1.0
Meningitis, viral	0	1.8	0	1.8
Meningococcal disease (<i>Neisseria meningitidis</i>)	0	0.2	0	0.2
Mumps	0	0.2	0	0.2
Pertussis	6	78.8	6	78.8
Plague	0	0.0	0	0.0
Q fever	0	0.6	0	0.6
Rabies, animal	0	0.0	0	0.0
Relapsing fever, tick-borne and louse-borne	0	0.0	0	0.0
Rubella	0	0.0	0	0.0
Salmonellosis	31	18.2	31	18.2
Shiga toxin-producing <i>Escherichia coli</i> (STEC) infection	2	2.6	2	2.6
Shigellosis	3	3.6	3	3.6
Spotted Fever Rickettsiosis (Rocky Mountain Spotted Fever)	0	0.4	0	0.4
Streptococcal disease, invasive, group A	0	15.8	0	15.8
Streptococcal disease, invasive, group B	2	9.0	2	9.0
Streptococcal disease, invasive, other	7	28.8	7	28.8
<i>Streptococcus pneumoniae</i> , invasive disease	3	25.8	3	25.8
age < 5 years	0	2.6	0	2.6
Syphilis, early (infection < 12 months)	0	7.6	0	7.6
primary & secondary	0	3.8	0	3.8
early latent	0	3.8	0	3.8
Syphilis, latent (infection > 12 months)	0	3.8	0	3.8
Toxic shock syndrome (staphylococcal or streptococcal)	0	3.0	0	3.0
Trichinellosis	0	0.0	0	0.0
Tuberculosis, active	1	2.4	1	2.4
Tularemia	0	0.0	0	0.0
Typhoid fever	0	0.0	0	0.0
Vancomycin-intermediate <i>Staphylococcus aureus</i> (VISA)	0	0.2	0	0.2
Vibriosis	1	0.0	1	0.0
West Nile virus, total	0	0.0	0	0.0
neuroinvasive disease	0	0.0	0	0.0
nonneuroinvasive disease	0	0.0	0	0.0

*Anthrax, Chancroid, Diptheria, Poliomyelitis (paralytic & nonparalytic), Psittacosis, Rabies (human), Rubella (congenital), Severe Acute Respiratory Syndrome (SARS), Smallpox, Syphilis (congenital), Tetanus, Vancomycin-resistant *Staphylococcus aureus* (VRSA), Viral hemorrhagic fevers, and Yellow fever are not included in this report as there have been no cases reported in the state of Utah in the last five years.

[†]Averages are susceptible to skewing due to outbreaks and should be interpreted with care.

[‡]YTD indicates counts are year-to-date.

